	Application No.	Applicant(s)
Notice of Allowability	09/871,081	OH, DAE-SIK
	Examiner	Art Unit
	Raymond S. Dean	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>December 27, 2006</u> .		
2. The allowed claim(s) is/are 1-3,6-13,16-20,24 and 25.		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. ☐ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 Thui (1 (1)	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	· · · · · · · · · · · · · · · · · · ·
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6.	e
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
	9.	
,		

Application/Control Number: 09/871,081

Art Unit: 2618

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Richard Machonkin (Reg. No. 41,962) on April 18, 2007.

Regarding Claim 7, Please replace the word "use" in line 6 with the words "transmit at".

Regarding Claim 16, Please insert the word "initial" in between the word "station" on line 4 (step (b)) and the word "transmit" on line 5 (step (b)). Please insert the word "initial" in between the word "station" and the word "transmit" on line 6 (step (c)).

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

It is well established in the Prior Art that CDMA systems conduct closed-loop power control in which a quality metric such as Eb/No is compared to a set point and a transmit power control (TPC) command is sent to the mobile station or base station instructing the mobile station or base station to adjust the power based on comparison.

The prior art of record, however, fails to teach or show based on the location of a mobile station, the base station selecting an initial power level of a primary communication channel for communication from the mobile station to the base station and instructing the mobile station to transmit at the initial transmit power level. Claim 1, including all of the claims that depend directly or indirectly from Claim 1, Claim 7, including all of the claims that depend directly or indirectly from Claim 7, Claim 16, including all of the claims that depend directly or indirectly from Claim 16, and Claim 24, including all of the claims that depend directly or indirectly from Claim 24 are therefore allowable.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond S. Dean whose telephone number is 571-272-7877. The examiner can normally be reached on Monday-Friday 6:00-2:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward F. Urban can be reached on 571-272-7899. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/871,081

Art Unit: 2618

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Raymond S. Dean

April 19, 2007

SUPERVISORY PATENT EXAMINER **TECHNOLOGY CENTER 2600**